



## RTW PRODUCT PRICE LIST

Valid from: August 2008



### Audio & Design Reading Ltd

51 Paddick Drive Lower Earley Reading Berks RG6 4HF  
Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048  
Email: sales@adrl.co.uk Web: www.adrl.co.uk

RTW Cat No.	Product Description	ADR List £
1000-40	Analog peak program meter, DIN 45406 specifications	£887
1002-35	Analog peak program meter, DIN 45406 specifications	£611
1002-40	Analog peak program meter, DIN 45406 specifications	£611
1018	Instrument case for a 190 x 40 mm panel-mount meter, without power pack	£79
1019GL	Analog peak program meter, DIN 45406 specifications + loudness meter + phase correlation meter	£1,260
1020E	Instrument case with power pack for an analog 190 x 40 mm panel-mount meter	£275
10220	Instrument case with power pack for a 11519, 11520, 11528 or 11529 digital instrument	£275
1028A	Power pack + bracket, matching an analog compact instrument with 140 x 40 mm or 140 x 35 mm front panel	£252
1028D	Power pack + bracket, matching a digital compact instrument with 140 x 40 mm or 140 x 35 mm front panel	£252
1032-40HOR	Analog peak program meter, British Standard scale IIa, horizontal scale (not featured in the catalogue)	£611
1034GL	Analog peak program meter, British Standard scale IIa + loudness meter + phase correlation meter	£1,260
10500	DigitalMonitor, audio vectorscope + correlation meter + two-channel multi-standard peak program meter, AES/EBU input for fully digital environments, case graphite-grey RAL 7024	£1,461
10500-PLUS	same as 10500, but with table-stand and mains adapter 90 - 264 V-AC/24 V-DC 630 mA	£1,521
10501	same as 10500, but case light-grey RAL 7035	£1,461
10501-PLUS	same as 10501, but with table-stand and mains adapter 90 - 264 V-AC/24 V-DC 630 mA	£1,521
1052-35EBU	Digital peak program meter, AES/EBU digital standard	£975
1052X40	Digital peak program meter, AES/EBU digital standard	£975
10600	SurroundMonitor, Surround Sound Analyzer + audio vectorscope + six channel multi-standard peakmeter, with 3 AES/EBU inputs for fully digital environments	£2,758
10600-PLUS	same as 10600, but with table-stand and mains adapter 90 - 264 V-AC/24 V-DC 630 mA	£2,823
1061X	PortaMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter	£1,769
1061X-PLUS	same as 1061, but with table-stand and mains adapter 90 - 264 V-AC/24 V-DC 630 mA	£1,862
10611X-VID	same as 1061X, but half 19"/3U rack-mount version	£2,137



## RTW PRODUCT PRICE LIST

Valid from: August 2008



### Audio & Design Reading Ltd

51 Paddick Drive Lower Earley Reading Berks RG6 4HF  
Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048  
Email: sales@adrl.co.uk Web: www.adrl.co.uk

RTW Cat No.	Product Description	ADR List £
1062X	PortaMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter + real time analyzer	£2,021
1062X-PLUS	same as 1062X, but with table-stand and mains adapter 90 - 264 V-AC/24 V-DC 630 mA	£2,109
10621X-VID	same as 1061X, but half 19"/3U rack-mount version	£2,380
1063X	PortaMonitor, audio vectorscope + four-channel multi-standard peak program meter + correlation meter	£2,259
1063X-PLUS	same as 1063X, but with table-stand and mains adapter 90 - 264 V-AC/24 V-DC 630 mA	£2,347
10631X-VID	same as 10631X, but half 19"/3U rack-mount version	£2,609
1064X	PortaMonitor, audio vectorscope + four-channel multi-standard peak program meter + correlation meter + real time analyzer	£2,497
1064X-PLUS	same as 1064X, with table-stand and mains adapter 90 - 264 V-AC/24 V-DC 630 mA	£2,590
10641X-VID	same as 10641X, but half 19"/3U rack-mount version	£2,861
1065X-3U	BroadcastMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter + real time analyzer; insert module for 19"/3U subrack	£2,380
10660-VID	SurroundMonitor, Surround Sound Analyzer + audio vectorscope + six channel multi-standard peakmeter, with 3 AES/EBU inputs for fully digital environments. Half 19"/3U (video) rack-mount version	£3,075
1067X-3U	BroadcastMonitor, audio vectorscope + four-channel multi-standard peak program meter + correlation meter + real time analyzer; insert module for 19"/3U subrack	£2,861
10689	DigitalMonitor 8ch, eight-channel multi-standard peak program meter + correlation meter + audio vectorscope	£2,590
10689-PLUS	same as 10689, but with table-stand and mains adapter 90 - 264 V-AC/24 V-DC 630 mA	£2,655
1069A-120	MasterMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter	£2,142
10690-3U	Rack-mount MasterMonitor, audio vectorscope + two-channel multi-standard peak program meter + correlation meter, front panel black & grey	£2,142
1070-40	Analog phase correlation meter	£649
1072-40EBU	Digital phase correlation meter + mono peak program meter + mono loudness meter, AES/EBU digital standard	£784

**Audio & Design Reading Ltd**

51 Paddick Drive Lower Earley Reading Berks RG6 4HF  
 Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048  
 Email: sales@adrl.co.uk Web: www.adrl.co.uk

<b>RTW Cat No.</b>	<b>Product Description</b>	<b>ADR List £</b>
10800X	SurroundMonitor, Surround Sound Analyzer, vectorscope + 8-channel multi-standard peak program meter + 10 correlation meters + real time spectrum analyzer, 8 analogue and 4 AES/EBU digital stereo inputs,	£3,710
10800XPLUS	same as 10800X, but with table-stand and wide range 100 - 240 V-AC/24 V-DC 1,05 A power supply	£3,803
10808X	same as 10800X, but with analogue inputs only	£3,444
10808XPLUS	same as 10800XPLUS, but with analogue inputs only	£3,542
10809X	same as 10800X, but with digital inputs only	£3,449
10809XPLUS	same as 10800XPLUS, but with digital inputs only	£3,542
10810-203	SurroundMonitor, Surround Sound Analyzer, vectorscope + 8-channel multi-standard peak program meter + 10 correlation meters + real time spectrum analyzer, 8 analogue and 4 AES/EBU digital stereo inputs, flush-mount version with anthracite grey 203 x 170 mm front panel, i. e. for Studer D950	£3,803
10818-203	same as 10810-203, but with analogue inputs only	£3,542
10819-203	same as 10810-203, but with digital inputs only	£3,542
10820-203	same as 10810-203, but version with light grey 203 x 200 mm front panel, i. e. for Lawo MC <sup>2</sup>	£3,803
10828-203	same as 10820-203, but with analogue inputs only	£3,542
10829-203	same as 10820-203, but with digital inputs only	£3,542
10830-218	same as 10810-203, but version with 218 x 160 mm front panel, i. e. for SSL consoles	£3,803
10838-218	same as 10830-218, but with analogue inputs only	£3,542
10839-218	same as 10830-218, but with digital inputs only	£3,542
10860X-VID	SurroundMonitor, Surround Sound Analyzer, vectorscope + 8-channel multi-standard peak program meter + 10 correlation meters + real time spectrum analyzer, 8 analogue and 4 AES/EBU digital stereo inputs. Half 19"/3U (video) rack-mount version	£4,037
1088-120	PeakMonitor, analog 8-channel multi-standard peak program meter, front panel width 120 mm	£2,021
1088-140	same as 1088-120, but with front panel width 140 mm	£2,021
1089-120	PeakMonitor, digital 8-channel peak program meter, AES/EBU digital standard, front panel width 120 mm	£2,287
1089-140	same as 1089-120, but with front panel width 140 mm	£2,287
1090-120	PeakMonitor, analog and digital 8-channel multi- standard peak program meter, front panel width 120 mm	£2,567
1090-140	same as 1090-120, but with front panel width 140 mm	£2,567

**Audio & Design Reading Ltd**

51 Paddick Drive Lower Earley Reading Berks RG6 4HF  
 Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048  
 Email: sales@adrl.co.uk Web: www.adrl.co.uk

<b>RTW Cat No.</b>	<b>Product Description</b>	<b>ADR List £</b>
1113G	Analog peak program meter, DIN 45406 specifications	£672
1115G	Analog peak program meter, DIN 45406 specifications	£807
1117G	Analog peak program meter, DIN 45406 specifications	£905
1119G	Analog peak program meter, DIN 45406 specifications + phase correlation meter	£1,143
1125-10	19"/5U subrack for up to 10 analog or digital instruments with 190 x 40 mm front panels. Built-in wide-range power supply	£1,526
1128H	Power pack + bracket, matching a 40 x 190 mm analog panel-mount meter	£238
11280	Power pack + bracket for 11519, 11520, 11528, 11529 digital meters	£238
1130E	Analog peak program meter, British Standard scale IIa	£807
1134G	Analog peak program meter, British Standard scale IIa + phase correlation meter	£1,143
11519G	Digital peak program meter, AES/EBU digital standard + phase correlation meter	£1,143
11520G	Digital peak program meter, AES/EBU digital standard	£1,073
11528G	Digital peak program meter, AES/EBU digital standard + loudness meter + phase correlation meter, with +9 dB fixed headroom and +9 dB to -60 dB scale	£1,260
11529G	Digital peak program meter, AES/EBU digital standard + loudness meter + phase correlation meter;	£1,260
1163	Snake cable 4 meter, distributes 25p-Sub-D to 8 x XLR-M for SurroundMonitors 10900, 11900 and SurroundControls 30900, 30960, 31900, 31960	£112
1170C	Analog phase correlation meter	£555
1172-R	Wide-range 100 - 240 V-AC/24 V-DC 630 mA power supply with Euro, UK, US, AUS plugs, for powering PortaMonitors, DigitalMonitors, SurroundMonitor 10600, Peakmeter 1205D, Display 30010	£79
1172-300	same as 1172-R, but for powering the 300DV or the case for timers 1023E	£79
1174-R	Wide-range 100 - 240 V-AC/24 V-DC 1.25 A power supply with Euro, UK, US, AUS plugs, for powering the SurroundMonitor 10800X, 10808X, 10809X, 108nn- nnn	£107
1177A-R	Wide range 90 - 264 V-AC/24 V-DC 3 A power supply for powering SurroundControl 30960, 31960. Table-top unit	£92

**Audio & Design Reading Ltd**

51 Paddick Drive Lower Earley Reading Berks RG6 4HF  
 Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048  
 Email: sales@adrl.co.uk Web: www.adrl.co.uk

<b>RTW Cat No.</b>	<b>Product Description</b>	<b>ADR List £</b>
1186	Snake cable 4 meter, distributes 25p-Sub-D to 8 x XLR-F for 4-ch PortaMonitors, 4-ch BroadcastMonitor, SurroundMonitors and SurroundControls	£112
11900	SurroundMonitor: Surround Sound Analyzer + eight-channel peak program meter + Surround multi-correlator + downmix matrix + real time spectrum analyzer + audio vectorscope + output for VGA display. 19"/1U rack-mount, built-in wide-range power supply. Available options: Dolby® E/AC-3 decoder option 13704; SDI HD/SD deembedder option 13703; Dolby® E/AC-3 decoder with SDI HD/SD deembedder option 13706	£3,920
11900D	same as 11900, but with Dolby® E/AC-3 decoder installed. Available option: SDI HD/SD deembedder option 13703	£6,767
11900S	same as 11900, but with SDI HD/SD deembedder installed. Available option: Dolby® E/AC-3 decoder option 13705	£6,533
11900SD	same as 11900, but with SDI HD/SD deembedder and Dolby® E/AC-3 decoder installed	£9,329
1204A	Analog peak program meter, DIN 45406 specifications + phase correlation meter, light grey table-top housing	£868
1205D	Digital peak program meter interfacing with AES/EBU- and SPDIF ports + phase correlation meter, light grey table-top housing	£868
1206B	Analog peak program meter + VU meter, British Standard and VU standard	£555
1206D	Analog peak program meter, DIN 45406 specifications	£555
1206D F13	same as 1206D, but reference level +13 dBu	£546
1206DR	Analog peak program meter, DIN 45406 specifications,	£597
1206V	VU meter + analog peak program meter, VU standard and DIN 45406 specifications	£555
1206V F04	same as 1206V, but reference level +4 dBu	£555
1252DIG	Digital peak program meter, interfacing with AES/EBU- or SPDIF- or optical Toslink port, digital scale 0 dB FS and DIN 45406 quasi-analog scale	£742
1252DIG-B	Digital peak program meter, interfacing with AES/EBU- or SPDIF- or optical Toslink port, digital scale 0 dB FS and British Standard scale IIa	£742
1260C	Analog phase correlation meter	£555
12961	19"/1U rack-mount kit, for one 300DV-PLUS, 1206, 1252DIG or 1260 instrument and for one plug-in type instrument with 190 x 40 mm front panel	£112

**Audio & Design Reading Ltd**

51 Paddick Drive Lower Earley Reading Berks RG6 4HF  
 Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048  
 Email: sales@adrl.co.uk Web: www.adrl.co.uk

<b>RTW Cat No.</b>	<b>Product Description</b>	<b>ADR List £</b>
12991	19"/1U rack-mount kit, for one 1252DIG, 300DV-PLUS, 1206 and/or 1260 instrument	£70
12992	19"/1U rack-mount kit, for two 1252DIG, 300DV-PLUS, 1206 and/or 1260 instruments	£79
12993	19"/1U rack-mount kit, matching one instrument with 190 x 40 mm front panel	£84
12994	19"/1U rack-mount kit, matching two instruments with 190 x 40 mm front panel	£112
12996	cover plate & mounting frame for 190 x 40 mm instruments. Overall dimensions 210 x 60 mm	£65
13671	Blank panel for covering one cut-out of the 12992 rack-mount kit (not featured in the catalogue)	£33
13703	SDI HD/SD deembedder option for SurroundMonitor 11900, 11900D and SurroundControl 31900, 31900D, 31960, 31960D	£3,309
13704	Dolby® E and AC-3 decoder option for SurroundMonitor 11900 and SurroundControl 31900, 31960	£3,593
13705	Dolby® E and AC-3 decoder option for SurroundMonitor 11900S and SurroundControl 31900S, 31960S	£3,593
13706	SDI HD/SD deembedder option + Dolby® E / AC-3 decoder option for SurroundMonitor 11900 and SurroundControl 31900, 31960	£6,902
13709	Panel mounting kit for Remote Display 30010	£28
13710	Retrofit table-stand for PortaMonitor 1061X, 1062X, 1063X, 1064X or SurroundMonitor 10800X, 10808X, 10809X	£103
13711	Adapter 200 x 190 mm (W x H) for mounting the PortaMonitor 1061X, 1062X, 1063X or 1064X in A1 broadcast standard environments	£149
13712	Real time analyzer option, retrofit for 1061X, 10611X, 1063X or 10631X	£271
13713	Panel mounting kit for PortaMonitor 1061X, 1062X, 1063X, 1064X, DigitalMonitor 10500, 10689 and SurroundMonitor 10600	£11
13715	Panel mounting kit for SurroundMonitor 10800X, 10808X or 10809X	£11
13716	Adapter 240 x 190 mm (W x H) for mounting the SurroundMonitor 1080xX in A1 broadcast standard environment	£173
13717	Kit for fastening model 1204A or 1205D on the desk	£9
13719	Retrofit table-stand for DigitalMonitor 10500, 10689, or SurroundMonitor 10600	£70

**Audio & Design Reading Ltd**

51 Paddick Drive Lower Earley Reading Berks RG6 4HF  
 Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048  
 Email: sales@adrl.co.uk Web: www.adrl.co.uk

<b>RTW Cat No.</b>	<b>Product Description</b>	<b>ADR List £</b>
137191	same as 13719, but colour light-grey RAL 7035 for retrofitting 10501	£79
13720	Measurment microphone MM1 for calibrating studio loudspeaker system, option for 10900, 11900, 30900, 30960, 31900, 31960	£177
13722	140 mm to 190 mm adapter for PeakMonitor 1088-120, 1089-120, 1090-120 or MasterMonitor 1069A-120	£215
13725	19"/1U rack-mount kit, matching one compact instrument with 140 x 40 mm or 140 x 35 mm front panel	£84
13726	19"/1U rack-mount kit, matching two compact instruments with 140 x 40 mm or 140 x 35 mm front panel	£112
1373	Blank panel 40 x 190 mm (W x H)	£56
13974	Interface adapter: 1069A-120 to NTP 277-500 wiring	£28
14519	Mains adapter, UK plug, 240 V-AC/24 V-DC, 416 mA for powering the 300DV or the case for timer 1023E	£30
14519-R	Mains adapter, UK plug, 240 V-AC/24 V-DC, 416 mA for powering the peak program meter 1204A	£42
300DV	Analog program level meter, DIN 45406 specifications and VU standard	£401
300DV-PLUS	Analog program level meter, DIN 45406 specifications and VU standard, incl. mains adapter, mounting bracket	£429
30010	Remote display 8.4" VGA with keyboard installed beneath, option for SurroundMonitors 10900, 11900 and SurroundControl 30900, 30960, 31900, 31960	£1,092
30050	Remote control, option for SurroundControl 30960,	£975
31900	SurroundControl: 8-channel monitoring controller with remote control, combined with Surround Sound Analyzer + 8-channel peak program meter + Surround multi-correlator + downmix matrix + real time spectrum analyzer + audio vectorscope + output for VGA display. 19"/1U rack-mount, built-in wide-range power supply. Available options: Dolby® E/AC-3 decoder option 13704; SDI HD/SD deembedder option 13703; Dolby® E/AC-3 decoder + SDI HD/SD deembedder option 13706	£5,833
31900D	same as 31900, but with Dolby® E/AC-3 decoder installed.	£8,675



**R T W PRODUCT PRICE LIST**  
**Valid from: August 2008**



**Audio & Design Reading Ltd**

51 Paddick Drive Lower Earley Reading Berks RG6 4HF  
Tel: +44 (0)118 324 0046 Fax: +44 (0)118 324 0048  
Email: sales@adrl.co.uk Web: www.adrl.co.uk

<b>RTW Cat No.</b>	<b>Product Description</b>	<b>ADR List £</b>
31900S	Available option: SDI HD/SD deembedder option 13703 same as 31900, but with SDI HD/SD deembedder installed.	£8,395
31900SD	Available option: Dolby® E/AC-3 decoder option 13705 same as 31900, but with SDI HD/SD deembedder and Dolby® E/AC-3 decoder installed.	£11,289
31960	SurroundControl: 8-channel monitoring controller with front-accessible keys, volume control and 6.5" display combined with Surround Sound Analyzer + 8-channel peak program meter + Surround multi-correlator + downmix matrix + real time spectrum analyzer + audio vectorscope + output for secondary VGA display. Half 19"/3U (video) rack-mount version. Operating voltage 24V DC, 1.7 A. Available options: Dolby® E/AC-3 decoder option 13704; SDI HD/SD deembedder option 13703; Dolby® E/AC-3 decoder with SDI HD/SD deembedder option 13706	£6,529
31960D	same as 31960, but with Dolby® E/AC-3 decoder installed.	£9,329
31960S	Available option: SDI HD/SD deembedder option 13703 same as 31960, but with SDI HD/SD deembedder installed.	£9,142
31960SD	Available option: Dolby® E/AC-3 decoder option 13705 same as 31960, but with SDI HD/SD deembedder and	£11,993